

Treehouse

Longmont, CO 80504

Lic. #

Sample:

METRC ID:

METRC Batch:

CC ID: 1908NCTL0345.1955

Strain: CS-02-008

Sample Received: 08/16/2019; Report Created: 08/19/2019



Custom Spectrum Hemp Seed Oil

Concentrates & Extracts, Other



Cannabinoids

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.02	<LOQ	<LOQ
Δ9-THC	0.02	<LOQ	<LOQ
Δ8-THC	0.02	<LOQ	<LOQ
THCV	0.02	<LOQ	<LOQ
CBDa	0.02	<LOQ	<LOQ
CBD	0.02	5.32	53.2
CBDV	0.02	0.22	2.2
CBN	0.02	0.36	3.6
CBGa	0.02	0.03	0.3
CBG	0.02	1.38	13.8
CBC	0.02	3.78	37.8

Potency

ND	5.32%
Total THC	Total CBD

Summary

Pass Pesticides	Complete Residual Solvents	Pass Microbials	Not Tested NT Moisture
Not Tested NT Water Activity	Pass Heavy Metals	Not Tested Foreign Matter	Not Tested Mycotoxins

Treehouse

Longmont, CO 80504

Lic. #

Sample:

METRC ID:

METRC Batch:

CC ID: 1908NCTL0345.1955

Strain: CS-02-008

Sample Received: 08/16/2019; Report Created: 08/19/2019



Custom Spectrum Hemp Seed Oil Concentrates & Extracts, Other

Pesticides Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Abamectin	50.000	50.000	<LOQ	Pass
Aldicarb	5.000	20.000	<LOQ	Pass
Bifenazate	30.000	20.000	<LOQ	Pass
Cyfluthrin	50.000	10.000	<LOQ	Pass
Daminozide	30.000	50.000	<LOQ	Pass
Diazinon	5.000	10.000	<LOQ	Pass
Dichlorvos	50.000	150.000	<LOQ	Pass
Dimethoate	5.000	10.000	<LOQ	Pass
Etoxazole	5.000	10.000	<LOQ	Pass
Flonicamid	30.000	30.000	<LOQ	Pass
Fludioxonil	10.000	10.000	<LOQ	Pass
Imidacloprid	5.000	20.000	<LOQ	Pass
Myclobutanil	50.000	50.000	<LOQ	Pass
Paclobutrazol	5.000	10.000	<LOQ	Pass
Piperonyl Butoxide	5.000	1000.000	538.806	Pass
Pyrethrin 1	30.000	50.000	<LOQ	Pass
Spinosyn A	5.000	10.000	<LOQ	Pass
Spinosyn D	5.000	10.000	<LOQ	Pass
Spirotetramat	10.000	20.000	<LOQ	Pass
Thiamethoxam	5.000	20.000	<LOQ	Pass
Trifloxystrobin	5.000	10.000	<LOQ	Pass

Microbials Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	<LOQ	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	<LOQ	Pass
Coliforms	1000	<LOQ	Pass
E. Coli	1	<LOQ	Pass
Salmonella	1	<LOQ	Pass
Yeast & Mold	10000	<LOQ	Pass

Mycotoxins Not Tested

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Heavy Metals Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.10	0.42	<LOQ	Pass
Cadmium	0.10	0.27	<LOQ	Pass
Lead	0.10	0.87	<LOQ	Pass
Mercury	0.10	0.87	<LOQ	Pass

Residual Solvents Complete

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
1,1,1-Trichloro-Ethane	0.08	<LOQ	Tested	
1,1-Dichloro-Ethane	0.08	<LOQ	Tested	
1,2-Dichloro-Ethane	0.08	<LOQ	Tested	
Acetone	43.00	89.94	Tested	
Acetonitrile	43.00	<LOQ	Tested	
Benzene	0.08	<LOQ	Tested	
Butane	43.00	<LOQ	Tested	
Carbon-Tetrachloride	0.08	<LOQ	Tested	
Ethanol	43.00	<LOQ	Tested	
Ethyl-Acetate	43.00	<LOQ	Tested	
Ethyl-Ether	43.00	<LOQ	Tested	
Heptane	43.00	330.92	Tested	
Isopropanol	43.00	<LOQ	Tested	
n-Hexane	43.00	<LOQ	Tested	
Pentane	43.00	<LOQ	Tested	

